

# Setting value copying items

Rev.1.3 (G4)

## [PICTURE]

- PICTURE MODE
  - (includes SVE settings)
- BRIGHTNESS
  - (includes BACKLIGHT settings)
- GAMMA
- COLOR
  - (includes COLOR TEMPERTATURE and COLOR CONTROL settings)
- HUE
- CONTRAST
- SHARPNESS
- UHD UPSCALING \*1
- ADJUST \*2
- COLOR SYSTEM
- ASPECT
  - (includes ZOOM settings)
- ADVANCED
- SPECTRAVIEW ENGINE
- ROTATION

\*1 Not available on P404/ P484/ P554/ V404/ V484/ V554/ V404-T/ V484-T/  
V554-T

\*2 Not available on P754Q/ V754Q/ V864Q/ V984Q/ C751Q/ C861Q/ C981Q

## [AUDIO]

- VOLUME
- BALANCE
  - (includes STEREO/MONO and SURROUND settings)
- EQUALIZER
- AUDIO INPUT
- MULTI PICTURE AUDIO
- LINE OUT
- AUDIO DELAY

#### [SCHEDULE]

- SCHEDULE SETTINGS
- HOLIDAY SETTINGS
- WEEKEND SETTINGS
- DATE & TIME
- DAYLIGHT SAVING
- OFF TIMER

#### [MULTI INPUT]

- KEEP MULTI PICTURE MODE
- MULTI PICTURE MODE
- ACTIVE PICTURE
- INPUT SELECT
- PICTURE SIZE
- PICTURE POSITION
- PICTURE ASPECT
- ROTATE \*1
- TEXT TICKER
- INPUT DETECT
  - (include CUSTOM DETECT settings)
- INPUT CHANGE
- TERMINAL SETTING

\*1 Not available on P404/ P484/ P554/ V404/ V484/ V554/ V404-T/ V484-T/  
V554-T

#### [OSD]

- LANGUAGE
- OSD TIME
- OSD POSITION
- INFORMATION OSD
- OSD TRANSPARENCY
- OSD ROTATION
- KEY GUIDE
- MEMO
- INPUT NAME
- CLOSED CAPTION

[MULTI DISPLAY]

- TILE MATRIX
- TILE MATRIX MEM
- MONITOR ID
- GROUP ID
- COMMAND TRANSFER

[DISPLAY PROTECTION]

- POWER SAVE
- POWER SAVE MESSAGE
- FAN CONTROL
- SCREEN SAVER
- SIDE BORDER COLOR
- POWER ON DELAY
- ALERT MAIL
- INTELLI. WIRELESS DATA

[CONTROL]

- IR LOCK SETTINGS
- KEY LOCK SETTINGS
- DDC/CI
- AUTO DIMMING
  - AUTO BRIGHTNESS
  - (include ROOM LIGHT SENSING settings)
  - (include HUMAN SENSING settings)
- POWER INDICATOR
- NETWORK FUNCTIONS
- USB
- CEC

[OPTION]

- AUDIO
  - (include CUSTOM DETECT settings)
- INTERNAL PC
  - OFF WARNING
  - AUTO OFF
- SLOT2 CH SETTING
- SLOT2 CH SELECT

[COMPUTE MODULE]

- POWER

[MP]

- SLIDESHOW
- MEDIA PACKAGE
- AUTO PLAY
- PRESET CONTENTS
- SHARED SD Card SETTING
  - ENABLE
- SHARED FOLDER SETTING
- PRESET CONTENTS
- SHIFT TO NO SIGNAL

[HTTP SERVER]

- MAIL SETTING
  - ALERT MAIL
  - STATUS MESSAGE
  - DOMAIN NAME
  - SMTP SERVER
  - RECIPIENT'S ADDRESS 1
  - RECIPIENT'S ADDRESS 2
  - RECIPIENT'S ADDRESS 3
- SNMP SETTING
- AMX SETTING
- CRESTRON SETTING