

Clone Setting items

Rev.1.0

[INPUT]

- INPUT SETTINGS
 - INPUT NAME
 - QUICK INPUT CHANGE
 - AUTO INPUT CHANGE

[INPUT-ADVANCED]

- Display Port
 - DisplayPort VERSION
 - HDCP VERSION
 - HDR
 - EQUALIZER
- HDMI
 - HDMI MODE
 - HDCP VERSION
 - HDR
 - EQUALIZER
- SIGNAL FORMAT
 - OVERSCAN
 - VIDEO RANGE
 - COLORIMETRY
- CEC
 - CEC
 - POWER CONTROL LINK
 - AUDIO RECEIVER
- BACKGROUND COLOR
- VIDEO OUT SETTINGS
 - DUAL DAISY CHAIN MODE
 - DP TO HDMI CONVERT

[PICTURE]

(SVE = OFF)

- PICTURE MODE
- BACKLIGHT
- VIDEO BLACK LEVEL
- GAMMA
 - GAMMA
 - AUTO HDR SELECT
- COLOR
 - COLOR
 - COLOR TEMPERATURE
 - COLOR CONTROL
- CONTRAST

(SVE = ON)

- PICTURE MODE
 - PICTURE MODE
 - PRESET
 - LUMINANCE
 - BLACK
 - GAMMA
 - CUSTOM VALUE
 - WHITE
 - RED
 - GREEN
 - BLUE
- EMULATION
 - 3D LUT EMU.
 - COLOR VISION EMU.
- 6 AXIS COLOR TRIM
 - RED
 - YELLOW
 - GREEN
 - CYAN
 - BLUE

- MAGENTA
 - UNIFORMITY
 - UNIFORMITY
- (COMMON)
- BACKLIGHT DIMMING
 - SPECTRAVIEW ENGINE
 - SPECTRAVIEW ENGINE
 - NUMBER OF PICTURE MODES
 - METAMERISM
 - CALIBRATION

[PICTURE-ADVANCED]

- UHD UPSCALING
- SHARPNESS
- ASPECT
 - ASPECT SETTINGS
 - ZOOM
- ADAPTIVE CONTRAST
- UNIFORMITY
- AUTO DIMMING
 - AUTO BRIGHTNESS
 - AMBIENT LIGHT SENSING
 - HUMAN SENSING
- TILE MATRIX
 - H MONITORS
 - V MONITORS
 - TILE COMP
- IMAGE FLIP
 - IMAGE FLIP
 - OSD FLIP
- MULTI PICTURE
 - MULTI PICTURE MODE
 - AUDIO
 - ACTIVE PICTURE
 - ACTIVE FRAME
 - PICTURE SIZE

- PICTURE POSITION
- ROTATE
 - ROTATE ALL
 - PICTURE1
 - PICTURE2

[AUDIO]

- AUDIO MODE
- VOLUME
- BALANCE
 - BALANCE
 - SURROUND
- EQUALIZER
 - TREBLE
 - BASS

[AUDIO-ADVANCED]

- LINE OUT
- AUDIO DELAY
 - AUDIO DELAY
 - DELAY TIME
- AUDIO INPUT

[SCHEDULE]

- SCHEDULE SETTINGS
 - SETTINGS
 - POWER
 - TIME
 - INPUT
 - DATE
 - EVERY WEEK
- OFF TIMER

[SLOT]

(OPTION)

- POWER SETTING
 - AUTO POWER UP
 - AUTO SHUTDOWN
 - POWER SUPPLY OFF DELAY
 - AUTO DISPLAY OFF
 - OFF WARNING
- ADVANCED SETTING
 - CHANNEL SELECT

(COMPUTE MODULE)

- POWER SETTING
 - AUTO POWER UP
 - AUTO SHUTDOWN
 - POWER SUPPLY OFF DELAY
 - AUTO DISPLAY OFF
 - OFF WARNING
- ADVANCED SETTING
 - SHUTDOWN SIGNAL
 - IR SIGNAL
 - MONITOR CONTROL
 - WDT

- SLOT POWER

[NETWORK]

- NETWORK SECURITY
 - INTERFACE
 - NETWORK PORT

[PROTECT]

- POWER SAVE SETTING
 - POWER SAVE
 - TIME SETTING
 - POWER SAVE MESSAGE
 - QUICK START
- THERMAL MANAGEMENT
 - FAN CONTROL
 - FAN SPEED
- SCREEN SAVER
 - MOTION
 - INTERVAL
 - ZOOM
- POWER ON DELAY
 - DELAY TIME
 - LINK TO ID
- LOCK SETTING
 - SELECT
 - MODE
 - POWER
 - VOLUME
 - MIN VOL
 - MAX VOL
 - INPUT
- ALERT MAIL

[SYSTEM]

- DATE & TIME
 - TIME ZONE
 - INTERNET TIME SERVER
 - YEAR
 - MONTH
 - DAY
 - TIME
- DAYLIGHT SAVING
 - DAYLIGHT SAVING
 - BEGIN MONTH
 - END MONTH
 - TIME DIFFERENCE
- LANGUAGE
- OSD
 - OSD TIME
 - OSD POSITION
 - OSD SIZE
 - INFORMATION OSD
 - COMMUNICATION INFO
 - OSD TRANSPARENCY
 - OSD ROTATION
 - KEY GUIDE
- POWER INDICATOR
- MUTE SETTING
 - AUDIO
 - VIDEO
 - AUDIO & VIDEO
- USB
 - PC SOURCE
 - USB POWER
 - EXTERNAL CONTROL

[HTTP SERVER]

- MAIL SETTINGS
 - ALERT MAIL
 - STATUS MESSAGE
 - DOMAIN NAME
 - SMTP SERVER
 - RECIPIENT'S ADDRESS 1
 - RECIPIENT'S ADDRESS 2
 - RECIPIENT'S ADDRESS 3
- SNMP SETTINGS
- AMX SETTINGS
- NETWORK SERVICE SETTINGS
 - PJLink CLASS
 - NOTIFY FUNCTION ENABLE
 - NOTIFY ADDRESS